




Welcome to the NASA Applied Remote Sensing Training (ARSET) Webinar Series

Introduction to Water Quality (WQ) Monitoring From Remote Sensing Measurements

Course Dates: November 18, November 25, and December 2, 2014
Time: 8 to 9 am Eastern US time



ARSET : Applied Remote Sensing Training
A project of NASA Applied Sciences



Outline

- About this Course
- About ARSET
- Water Quality Parameters
- Overview of NASA Remote Sensing Data for Water Quality Parameters




Course Information

ARSET : Applied Remote SEnsing Ttraining

Course Objective

- To introduce remote sensing data, access, analysis, and applications for water quality (WQ) monitoring in coastal oceans, estuaries, and in-land lakes.



This course will focus on surface water quality

* MODIS: The Moderate Resolution Imaging Spectroradiometer

Course Structure

- There will be three sessions in this course:
November 18, November 25, and December 2, 2014
- There will be a homework assignment distributed after the second session
- A certificate will be awarded to participants who attend all three sessions and submit the completed homework assignment

Course Outline


Week 1

Introduction to Remote Sensing of WQ




Week 2

NASA WQ Data, Access, and Tools



Week 3

Overview of WQ Monitoring and Case Studies of Monitoring WQ in Selected Water Bodies





Webinar Information

Speakers:


Amita Mehta (ARSET) amita.v.mehta@nasa.gov

Africa Flores (SERVIR) africaixmucane.florescordova@nasa.gov

Ana Prados (ARSET) Ana.I.Prados@nasa.gov

Guest Speaker:

Blake Schaeffer (Week -3) Schaeffer.Blake@epa.gov



Webinar Information

Presentation URL: <http://arset.gsfc.nasa.gov/webinar>

Contact for requesting Certificate and more information about the course material


Marines Martins : marines.martins@ssaihq.com

Acknowledgment:

Brock Blevins (ARSET)	bblevins37@gmail.com
David Barbato (Spanish Translation) (ARSET)	barbato1@umbc.edu
Christine Lee	christine.m.lee@jpl.nasa.gov



Applied Remote Sensing Training (ARSET)



NASA Earth Science Applied Sciences Program

Earth Science Serving Society: Thematic Areas



**Agricultural
Efficiency**



Air Quality



Climate



**Disaster
Management**




**Ecological
Forecasting**



Public Health



**Water
Resources**



Weather

Applied Remote Sensing Training Program (ARSET)

GOAL:

Increase utilization of NASA observational and model data for decision-support

Online and hands-on courses:

- **Who:** policy makers, environmental managers, modelers and other professionals in the public and private sectors.
- **Where:** U.S and internationally
- **When:** throughout the year. Check websites.
- Do NOT require prior remote- sensing background.
- Presentations and hands-on guided computer exercises on how to access, interpret and use NASA satellite images for decision-support.



NASA Training for California Air Resources Board, Sacramento

Gradual Learning Approach

Webinars

Free – ideal for Managers

Assumes no prior knowledge of remote sensing




Gradual Learning Approach

Webinars

Free – ideal for Managers

Assumes no prior knowledge of remote sensing



Hands-on Training

Basic and Advanced

**Focused on a specific application/problem:
for example products and tools for flooding
applications in Latin America**




Applied Remote Sensing Training Program (ARSET)

Health (Air Quality)

- 2008 – present
- 26 Trainings
- 900+ end-users
- Analysis of dust, fires and urban air pollution.
- Long range transport of pollutants
- Satellite and regional air quality model inter-comparisons.
- Support for air quality forecasting and exceptional event analysis


Nitrogen Dioxide over China




Water Resources and Flood Monitoring

- April 2011 – present
- 9 Trainings
- 600+ end-users
- Flood/Drought monitoring
- Severe weather and precipitation
- Watershed management
- Climate impacts on water resources
- Snow/ice monitoring
- Evapotranspiration (ET), ground water, soil moisture, and runoff.

Satellite derived precipitation




Inundation mapping



Land Use/Change and Ecology

- Since May 2014
- GIS applications
- Land use/change
- Vegetation indices
- Fire products



Land Cover



Train the Trainers (Starting in 2015)

- Courses and guidance on how to design and develop, *YOUR OWN* online and/or computer based remote sensing training
- How to develop effective presentations and exercises.


ARSET: 2009 – 2013

1800+ End-users Reached

500+ Organizations



Number of participating organizations per country: Air Quality, Water Resources, Flood Monitoring.



ARSET Training: Water Resources/Flooding

Hands-on Courses:

- Cartagena, Colombia, November 2011, Precipitation and Flooding
- University of Oklahoma, National Weather Center, June 2012, Water Resources
- World Bank, DC, March 2013, flooding Applications

Online Courses:

Fall 2012 : Precipitation/Flooding/Drought

Spring 2013 and Winter 2014: Snow Products

Fall 2013: Water Resources Management

Fall 2013: Flood Monitoring

Presentation and Data Demonstration:


- USAID GeoCenter, Va, February 16, 2014, NASA Data for Water Resources and Disaster Management



Attendees of the NASA water resources training at the University of Oklahoma on June 19-20, with course instructors Amita Mehta and Ana Prados. Preliminary end-user feedback included a) interest in follow-on advanced/online courses and b) additional topics in land products, e.g. ET and Landsat.

ARSET Web Page

<http://arset.gsfc.nasa.gov>

**ARSET**
Applied Remote Sensing Training

Earth Science Division Applied Sciences ASP Water Resources

DISASTERS **ECO FORECASTING** **HEALTH & AIR QUALITY** **WATER RESOURCES**

ARSET

- Webinars
- Workshops
- Apply for Training
- Personnel
- Links
- Upcoming Webinar

Applied Remote Sensing Training

The goal of the NASA Applied Remote Sensing Training (ARSET) is to increase the utility of NASA earth science and model data for policy makers, regulatory agencies, and other applied science professionals in the areas of Health and Air Quality, Water Resources, Eco Forecasting, and Disaster Management.

The two primary activities of this project are webinars and in-person courses.

Webinars (Free)

Webinars are offered throughout the year in all four application areas, generally 4-5 weeks in duration, 1 hour per week. They are intended for those new to remote sensing. For more information and to register please go to the webinars section of the website.

In-Person Courses

In-person courses are a combination of lectures and computer hands-on activities that teach analysts how to access, interpret, and apply NASA data at regional and global scales with an emphasis on case studies. ARSET works with organizations who will host the training for groups within a geographical region, tailoring the curriculum to the needs of the projected participants. NASA does not charge an attendance fee, but attendees must make their own arrangements to travel to the course location.

taught:

- Search, access, and download of NASA data products and imagery
- Proper use and interpretation of satellite imagery
- Visualization and analysis of NASA imagery using NASA, EPA, and NOAA webtools and other resources such as GIS, Google Earth, Panoply, RSIG, and HDFLook

is sponsored by the Applied Sciences Program within NASA's Earth Sciences Division. We would like to thank Nancy Searby, Applied Sciences' Capacity Building Program Manager for her support of this program.

August 18, 2014
Kenneth Pickering
Jasmin Pearce
Tracie

- Sciences and Exploration
- Atmospheric Laboratory
- Hydrospheric & Biospheric Laboratory

- Contact Us
- Site Map
- Privacy Policy and Important Notices

ARSET

Webinars

Workshops

Apply for Training


Personnel

Links

Upcoming Webinar

ARSET Web Page

<http://arset.gsfc.nasa.gov>



ARSET

Webinars

Workshops

Apply for Training

Personnel

Links

Upcoming Webinar

Webinars

Water Quality Monitoring Using Remote Sensing Measurements

Tuesday, November 18, 2014 to Tuesday, December 2, 2014

Course-I: 8-9 AM, Course-II: 1-2 PM, Course-III: 10-11 AM (Eastern US time)

Application Area: **Water Resources**

Keywords: **Satellite Imagery, Tools**

Instruments: **Aqua, Landsat, MODIS, Terra, VIIRS**

[Read more](#)

NASA Remote Sensing for Land Management

Monday, November 3, 2014 to Monday, December 1, 2014

12 PM - 1 PM Eastern US Time

Application Area: **Ecoforecasting**

Keywords: **Satellite Imagery, Tools**

Instruments: **Aqua, Landsat, Terra**

[Read more](#)

Introduction to NASA Earth Science Data Products, Portals, and Tools

Tuesday, September 16, 2014 to Tuesday, October 14, 2014

Tuesdays (5 one-hour sessions), 8-9 AM U.S. Eastern Standard Time (13 PM UTC)

Application Area: **Airquality, Disasters, Ecoforecasting, Water Resources**


Keywords: **Satellite Imagery, Tools**

Instruments: **Aqua, Landsat, Terra, TRMM**

[Read more](#)

Apply for a Training on ARSET Web Page

<http://arset.gsfc.nasa.gov>



ARSET

Webinars

Workshops

Apply for Training

Personnel

Links

Upcoming Webinar

Apply for Training


The NASA Applied Remote Sensing Training Program provides webinars and in-person courses. The goal of these training activities is to build the capability and skills to utilize NASA earth science observations and model data for environmental management and decision-support. Courses are primarily intended for applied science professionals and decision makers from local, state, federal agencies, NGOS, and the private sector. ARSET also offers a Train the Trainers program, which is recommended for establishing or growing your organizations' capacity in applied remote sensing.

ARSET trainings are NOT designed for research but for operational and application driven organizations.

To apply for a training email Ana Prados at Ana.I.Prados@nasa.gov


The program offers four types of courses. For in-person courses, applicants must provide a computer laboratory or similar facility.

1. Overview webinar course: held over a period of 4-5 weeks, 1 hour per week
2. Basic hands-on: In person applied remote sensing course for those new to remote sensing. Generally 2-3 days in length held. It is highly recommended that attendees first take the webinar course.
3. Advanced hands-on: In person applied remote sensing course that builds the skills to use NASA data for a specific environmental management problem. Intended for those who have already taken the basic course or have previous experience using NASA data and resources. Generally 1-2 days in length.
4. Train the Trainers: In person applied remote sensing course intended for existing remote sensing/geospatial trainers within the organization/institution/agency.



**For information on upcoming courses
and program updates sign up to the
listserv**


<https://lists.nasa.gov/mailman/listinfo/arset>



Week 1: Outline

Introduction to Remote Sensing of WQ Properties

- *Overview of WQ Properties*
- *Remote Sensing Measurements, Advantages and Limitations*
- *Satellites/Sensors for WQ monitoring*
- *Examples of Remote Sensing of WQ*



Water Quality

Why is it important?

What to measure?

How to measure?

Water Quality – Why is it Important?

WQ is a measure of the suitability of water for a particular use based on its physical, chemical, biological properties

WQ is critical for human and ecosystems health and has economic implications

Is this water -

- - safe for drinking?
- - safe for swimming?
- - safe for fish and other aquatic life forms in streams, lakes, and coastal oceans?
- - safe for crop irrigation?



WQ in streams, lakes, and oceanic coastal zones is affected by natural factors and human activities

Natural Sources of Water Pollution :

Rainfall, Snow Melt and Run off

Dissolved solids (salts, minerals), Nutrients (Nitrogen Phosphorous, Dissolved Oxygen),

Human Sources of Water Pollution:

Urbanization, Industries, Farming, Mining, Fossil-fuel/Gasoline, Wastewater Discharge and Animal Waste
Nutrients, Chemicals, Metals, Pathogens

- Excess nutrients carried to streams and lakes encourage growth of algae, which leads to low oxygen in the water and may result in the destruction of aquatic life

Water Quality : What to Measure?

Water Quality is decided by the following water properties:

Physical Properties: Color, Temperature, Density, Heat Capacity, Turbidity, Suspended Sediment

Chemical Properties: pH, Salinity, Dissolved Oxygen, Conductivity, Hardness

Biological Properties: Phytoplankton/Algal Bloom (chlorophyll-a), Microorganisms, Dissolved Organic Carbon

In the U.S., the Environmental Protection Agency (EPA) is responsible for establishing the WQ standards for different uses. For information about regional/local quality of water in the US can be obtained from :

<http://www.epa.gov/safewater>

<http://water.usgs.gov/nawqa>

Water Quality: How to Measure?

In the US, in situ instruments and lab analysis to monitor these parameters properties in streams, lakes, and estuaries are conducted by:


Environmental Protection agency (EPA)
US Geological Survey (USGS)
National Oceanic -
and Atmospheric Administration (NOAA)

<http://water.epa.gov>

<http://water.usgs.gov/owq/>


<http://www.nmfs.noaa.gov/>

<http://www.nerrs.noaa.gov>



Limitations of *in situ* measurements

- Limited sample collection – not representative of entire water body
- Periodic sample collection may not capture daily, monthly, or seasonal water quality changes
- Labor intensive and expensive



<http://epa.gov/greatlakes/monitoring/>


Water Quality : How to Measure?

Physical Properties: Color, Temperature, Density, Heat Capacity, Turbidity, Suspended Sediment


Chemical Properties: pH, Salinity, Dissolved Oxygen, Conductivity, Hardness

Biological Properties: Algal Bloom, Microorganisms, Dissolved Organic Carbon



NASA earth observing satellites provide multi-year measurements with large spatial coverage that are used to derive several of the WQ properties




Why use Remote Sensing for WQ Measurements?



- Provides information where there are no surface-based measurements available and augments where they are
- Provides global/near-global coverage with consistent observations
- Provides continuous coverage in comparison to point measurements



MODIS Aqua satellite image from October 23, 2011, showing areas of elevated chlorophyll a (in red and orange)



Remote Sensing Measurements

What is remote sensing?

How is it used for WQ measurements?

What is Remote Sensing?

Measurement of a quantity associated with an object by a device not in direct contact with the object



- Platform depends on application
- What information? how much detail?
- How frequent

What is Satellite Remote Sensing?



Measuring properties of the earth-atmosphere system from space

Satellites carry instruments or sensors which **measure electromagnetic radiation** coming from the earth-atmosphere system

Earth-Ocean-Land-Atmosphere System :

- reflects solar radiation back to space
- emits Infrared radiation and Microwave radiation to space



The Electromagnetic Spectrum



For Remote Sensing of Water Quality :


Reflected solar radiation back to space
and emitted Infrared radiation are used

The Electromagnetic Spectrum




Remote Sensing of Water Quality Indicators

- Reflected solar radiation and emitted thermal radiation are measured by **satellite sensors** to detect water properties used for water quality assessment
- Suspended sediments, algae, Dissolved Organic Matter, oils, plants, and thermal releases change the energy spectra of the reflected/emitting thermal radiation from surface waters so -- they can be derived from remote sensing measurements
- Most chemicals and pathogens do not directly affect or change the spectral or thermal properties of surface waters – can be inferred from other WQ parameters



Every surface has its own spectral signature



Water Quality Remote Sensing Techniques

- Interpretation of satellite images in various spectral bands which change with changing water quality
- Quantitative estimates of water quality parameters by using algorithms -- developed mainly by statistically relating satellite data and in situ measurements

From Environment
Canada




Figure 2: MODIS True Colour composite and derived total suspended particulate matter in Lake Erie.

Remote Sensing Measurements

What to know?

Satellite Sensors


Passive remote sensors
measure radiant energy
reflected or emitted by the
earth-atmosphere System

Radiant energy is converted to
geophysical quantities such as
temperature, precipitation, soil
Moisture, Chlorophyll-a

Examples:

MODIS, Landsat TM and
ETM+

MODIS



This map of sea surface temperatures was produced using MODIS data on the Terra satellite. The red pixels show warmer surface temperatures, while yellow and green are middle values, and blue represents cold water. Credit: NASA GSFC


Satellite Sensors

Active remote sensors
'throw' beams of radiation
on the earth-atmosphere
system and measure
'back-scattered' radiation

The back-scattered
radiation is converted to
geophysical quantities

Examples: Radar, LIDAR

SRTM



Japan's Mt. Fuji presents a beautiful backdrop for the city of Tokyo in this perspective view generated using data from the **Shuttle Radar Topography Mission (SRTM)**.

<http://earthobservatory.nasa.gov/IOTD/>

Spatial and Temporal Resolution of Satellite Measurements

Depends on the satellite orbit configuration and sensor design

- **Spatial Resolution:**

Decided by its pixel size -- pixel is the smallest unit measured by a sensor

- **Spatial Coverage:**

The geographical area covered by a satellite

- **Temporal resolution:**

How frequently a satellite observes the same area of the earth

- **Temporal Coverage:**

Time span or life-time of a satellite for which measurements are available

Spatial and Temporal Resolution of Satellite Measurements

Depends on the satellite orbit configuration and **sensor design**

- **Spatial Resolution:**

Decided by its pixel size -- pixel is the smallest unit measured by a sensor

- **Spatial Coverage:**

The geographical area covered by a satellite

- **Temporal resolution:**

How frequently a satellite observes the same area of the earth

- **Temporal Coverage:**

Time span or life-time of a satellite for which measurements are available


Spatial Resolution: Varies with satellite/sensor

Landsat-7 Image of Niger River Delta


Spatial resolution: 30 m




Chlorophyll from Terra/MODIS: Spatial resolution: 1 km²



Rain Rate from TRMM Spatial resolution: 25 km²



Terrestrial Water Storage Variations from GRACE: Spatial resolution: 150,000 km² or coarser (Courtesy: Matt Rodell, NASA-GSFC)



Spatial Coverage and Temporal Resolution of Satellite Measurements

Depends on the **satellite orbit configuration** and sensor design

- **Spatial Resolution:**

Decided by its pixel size -- pixel is the smallest unit measured by a sensor

- **Spatial Coverage:**

The geographical area covered by a satellite

- **Temporal resolution:**


How frequently a satellite observes the same area of the earth

- **Temporal Coverage:**

Time span or life-time of a satellite for which measurements are available


Types of Satellite Orbits

Geostationary orbit



Satellite is at ~36,000 km above earth at equator. Same rotation period as earth's. Appears 'fixed' in space.

Low Earth Orbit (LEO)



Circular orbit constantly moving relative to the Earth at 160-2000 km. Can be in Polar or non-polar orbit


Spatial Coverage and Temporal Resolution

Polar orbiting satellites: global coverage - but **one to two or less measurements per day** per sensor. Orbital gaps present. Larger Swath size, higher the temporal resolution.

Non-Polar orbiting satellites: **Less than one per day**. Non-global coverage. Orbital gaps present. Larger Swath size, higher the temporal resolution.

Geostationary satellites: **multiple observations per day, but limited spatial coverage**, more than one satellite needed for global coverage.

Aqua (“ascending” orbit)
day time



TRMM Image



GOES Image



Temporal Resolution

Most satellites used for WQ remote sensing are Sun synchronous, polar orbiting satellites with less than 1 to 2 measurements per day

Aqua
Landsat
Terra
SeaStar
EO-1⁺
Suomi-NPP^{*}

⁺Earth Observing-1

^{*}NPP: Nation Polar Orbiting Partnership

Spectral and Radiometric Resolutions



Spectral Resolution:

The number and width of spectral channels. More and finer spectral channels enable remote sensing of different parts of the atmosphere

Radiometric Resolution:

Remote sensing measurements represented as a series of digital numbers – the larger this number, the higher the radiometric resolution, and the sharper the imagery


Multi-spectral and Hyper-spectral Measurements



Lee et al., (<http://spie.org/x18216.xml>)

More Information in hyper-spectral images

<http://www.ga.gov.au/scientific-topics/earth-obs/satellites-and-sensors/aster-radiometer>



<http://earthobservatory.nasa.gov/features/>

Remote Sensing Measurements for WQ

Satellite	Sensor	Parameter
Terra	MODIS, ASTER	Chlorophyll-a concentration, T, Colored Dissolved Organic Matter (CDOM), Turbidity, Euphotic Depth ¹
Aqua	MODIS	
Landsat	TM and ETM+	Spectral Reflectance
SeaStar	SeaWiFS	Chlorophyll-a, T, Particulate Inorganic Carbon, Particulate Organic Carbon, CDOM Index

MODIS: The Moderate Resolution Imaging Spectroradiometer

ASTER: The Advanced Spaceborne Thermal Emission and Reflection Radiometer

TM and ETM: Thematic Mapper and Enhanced Thematic Mapper

SeaWiFS: Sea-viewing Wide Field-of-view Sensor

¹The euphotic depth is the depth at which light intensity falls to 1% of the value at the surface of a body of water. Euphotic depth is influenced by phytoplankton, colored dissolved organic matter, and suspended particulate matter.

Remote Sensing Measurements for WQ

Satellite	Sensor	Parameter
EO-1	Hyperion ALI	Spectral Reflectance
NPP	VIIRS	Spectral Reflectance
International Space Station	HICO	Spectral Reflectance (gathered upon request)
Envisat (ESA)	MERIS	Spectral Reflectance

ALI: Advanced Land Oimager

VIIRS: Visible Infrared Imaging Radiometer Suit

MERIS: MEdium-spectral Resolution Imaging Spectrometer


HICO: Hyper-spectral Images for Coastal Oceans

Remote Sensing Observations: Trade Offs

- It is very difficult to obtain extremely high spectral, spatial, temporal and radiometric resolution at the same time
- Several sensors can obtain global coverage every one to two days because of their wide swath width (Terra/Aqua)
- Higher spatial resolution polar orbiting satellites may take 8 – 16 days to attain global coverage (Landsat, EO-1)
- Large amount of data with varying formats
- Data applications may require additional *in situ* measurements, processing, visualization and other tools

For water quality properties:


- Spectral reflectance in the presence of clouds may be unsuitable
- Atmospheric contribution to the reflectance has to be corrected to get the surface water properties
- Medium-spectral bands data may contain effect of multiple WQ parameters
- In the coastal zones data may contain land contribution



Examples of Water Quality Monitoring with Remote Sensing

Observing Water Quality from Space

Terra/ASTER



ASTER image captured the Mississippi Delta and nearby polluted water (June 10, 2010). Vegetation in red, water in white blue and white


Nas et al. 2009: Environ Monit Asses, 157-275-382
DOI 10.1007/s10661-008-0542-9



With Landsat 8's improved ability to detect variations in colors, the waters of Lake Ontario can show sediment patterns as well as potentially problematic algae, indicated by higher chlorophyll concentrations. Image Credit: NASA/USGS

Observing Water Quality from Space

Landsat Applications




Landsat data (bands 4, 3, 2) were used with in-situ measurements to estimate the secchi disk depth of Guntersville Lake in Marshall County, Alabama. The pink points represent field data taken on Oct. 06, 2012 and the green points represent field data taken on the Oct. 21, 2012.

Image Credit: DEVELOP

Marshall Team

<http://www.earthzine.org/2012/11/27/using-nasa-eos-to-monitor-water-quality-in-alabamas-lakes/>



Landsat 7 Thematic Mapper image-derived suspended chlorophyll concentrations (mg/m³, or µg/l) in Hongze Lake, China (20 April 2004). The QSC Water Quality application retrieves the concentration of suspended total chlorophyll from each water pixel, yielding a compositional "map"


<http://www.discover-aai.com/waterquality.htm>

NASA-Funded Water Quality project


Enhancing estuarine water quality management through integrating earth science research results: A targeted project for Tampa Bay, Florida (C. Hu et al.)

<https://docs.google.com/file/d/0BxTNwDBuMxoPQl9ESjJhOGVzVVE/edit>

Live Demo

 UNIVERSITY OF
SOUTH FLORIDA

USF Home | A-Z Index | Directory | Course Schedule | OASIS | myUSF
Marine Science Home | USF St. Pete | Search

 Florida Fish and Wildlife
Conservation Commission

Optical Oceanography Laboratory
College of Marine Science

Optical Water Quality and Seagrass Data for the Steinhatchee River

Menu

- Home
- People
- Projects
- Satellite Data Products
- Virtual Buoy Products
- Airborne Data Products
- Publications
- Events
- Links
- Contact

Summary

Location / Bottom

SST

Chlorophyll-a

Kd(488)

Light Penetration

ag(443)

bbp(700)

Station Name: ST 21 [Steinhatchee River Clickable Map](#)

Latitude: 29.6226691185

Longitude: -83.6836537297

Depth in Meters: 9

Current Imagery: /cgi-bin/optics_data?roi=BIGBEND¤t=1

The table below shows the current conditions (most recent weekly and monthly means) at station ST 21, derived from MODIS data. Also included are conditions for the current week and month from last year, as well as the long term means (climatologies).

Current conditions which exceed one standard deviation from the climatological mean are considered "anomalies" and are color coded. Positive chlorophyll anomalies, for example, may indicate phytoplankton bloom conditions at the station. Negative SST anomalies in winter might adversely affect several marine organisms (e.g., manatees, fish, corals, and sea turtles).

This table is intended to provide a visual guide to current and developing conditions at this station. However, caution must be used in interpreting anomaly data. Due to limitations of MODIS measurements, the normal climatological conditions for certain stations or time spans may not be fully characterized. As such, truly anomalous conditions may not be identified. Alternatively, detected anomalies may actually be within the climatological norm.

Summary Table Guide

Severe Positive Anomaly	Current data ≥ 2 st. dev. above climatology
Moderate Positive Anomaly	Current data ≥ 1 st. dev. above climatology
No Anomaly	Current data within 1 st. dev. of climatology
Moderate Negative Anomaly	Current data ≤ 1 st. dev. below climatology
Severe Negative Anomaly	Current data ≤ 2 st. dev. below climatology

Current week number 43 in the table below is 10/21/2014 through 10/27/2014, current month is September of 2014.

Courtesy: Duane Armstrong, NASA - Gulf of Mexico Initiative (GOMI)

<http://gulfofmexicoinitiative.community.nasa.gov/>

Thank You!